

SAFETY DATA SHEET

14650391

According to US Regulation 29 CFR 1910.1200 (HazCom 2012)

1. Identification

Product Identifier: Acetic Acid, Glacial

Other means of identification

Product No.: 9375, 9505, 9500, V624, 8817, V223, V190, V185, 3121, V155, V136, V128, 6903, 7711, 2504, 2502, 9526, 9524, 9522, 9517, 9515, 9513, 0565, 9511, 9508, 9503, 9502, V193, 37827, 20112, ACO30, 6003

Recommended restrictions

Recommended use: For Laboratory, Research or Manufacturing Use.
Restrictions on use: Not determined.

Details of the supplier of the safety data sheet

Manufacturer

Company Name: Avantor Performance Materials, LLC.
Address: 3477 Corporate Parkway
 Center Valley, PA 18034
Telephone: Customer Service: 855-282-6867
Fax: 610-573-2610
Contact Person: Environmental Health & Safety
E-mail: info@avantormaterials.com

Emergency telephone number:
 CHEMTREC: 1-800-424-9300 within US and Canada

2. Hazard(s) identification

Hazard Classification

Physical Hazards

Flammable liquids	Category 3
Corrosive to metals	Category 1

Health Hazards

Acute toxicity (Dermal)	Category 4
Acute toxicity (Inhalation - vapor)	Category 4
Skin Corrosion/Irritation	Category 1A
Serious Eye Damage/Eye Irritation	Category 1
Specific Target Organ Toxicity - Single Exposure	Category 3 ¹

Target Organs

1. Respiratory tract irritation.

Unknown toxicity - Health

Acute toxicity, inhalation, vapor 100 %

1/12

Environmental Hazards

Acute toxicity, inhalation, dust or mist	100 %
Acute hazards to the aquatic environment	Category 3

Unknown toxicity - Environment

Acute hazards to the aquatic environment	0 %
Chronic hazards to the aquatic environment	100 %

Label Elements

Hazard Symbol:



Signal Word:

Danger

Hazard Statement:

Flammable liquid and vapor.
 Harmful in contact with skin or if inhaled.
 Causes severe skin burns and eye damage.
 May cause respiratory irritation.
 Harmful to aquatic life with long lasting effects.

Precautionary Statements

Prevention:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use non-sparking tools. Take action to prevent static discharges. Wear protective gloves/protective clothing/eye protection/face protection. Use only outdoors or in a well-ventilated area. Do not breathe dust or mists. Wash thoroughly after handling. Avoid release to the environment.

Response:

IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If swallowed: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor. Wash contaminated clothing before reuse.

Storage:

Store in well-ventilated place. Keep cool. Store locked up. Keep container tightly closed.

Disposal:

Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

SDS_US - SDS000001652

2/12

Hazard(s) not otherwise classified (HNOC): None.

3. Composition/Information on ingredients

Chemical Identity	CAS number	Content in Percent (%) ¹
Acetic acid	64-19-7	99 - 100%

¹ All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

General information: Get medical advice/attention if you feel unwell. Show this safety data sheet to the doctor in attendance.

Ingestion: Call a physician or poison control center immediately. Do not induce vomiting without advice from poison control center. Never give liquid to an unconscious person. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Inhalation: Move to fresh air. Call a physician or poison control center immediately. Apply artificial respiration if victim is not breathing. If breathing is difficult, give oxygen.

Skin Contact: Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Call a physician or poison control center immediately. Wash contaminated clothing before reuse. Destroy or thoroughly clean contaminated shoes.

Eye contact: Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Call a physician or poison control center immediately. In case of irritation from airborne exposure, move to fresh air. Get medical attention immediately.

Most important symptoms/effects, acute and delayed

Symptoms: Irritating to eyes, respiratory system and skin.

Hazards: None known.

Indication of immediate medical attention and special treatment needed

Treatment: Treat symptomatically. Symptoms may be delayed.

5. Fire-fighting measures

General Fire Hazards: In case of fire and/or explosion do not breathe fumes.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: Water spray, foam, dry powder or carbon dioxide.

Unsuitable extinguishing media: Avoid water in straight hose stream; will scatter and spread fire.

Specific hazards arising from the chemical: Vapors may cause a flash fire or ignite explosively. Vapors may travel considerable distance to a source of ignition and flash back. Prevent buildup of vapors or gases to explosive concentrations.

Special protective equipment and precautions for firefighters

Special fire fighting procedures: Use water spray to keep fire-exposed containers cool. Water may be ineffective in fighting the fire. Fight fire from a protected location. Move containers from fire area if you can do so without risk.

Special protective equipment for fire-fighters: Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Use personal protective equipment. See Section 8 of the SDS for Personal Protective Equipment. Keep unauthorized personnel away. Ventilate closed spaces before entering them. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Evacuate area.

Methods and material for containment and cleaning up: In case of leakage, eliminate all ignition sources. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination. Dike far ahead of larger spill for later recovery and disposal.

Notification Procedures: Dike for later disposal. Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. Inform authorities if large amounts are involved.

Environmental Precautions: Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling: DO NOT handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Take precautionary measures against static discharges. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Ground and bond container and receiving equipment. Do not breathe

dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using the product. Use caution when adding this material to water. See Section 8 of the SDS for Personal Protective Equipment. Avoid contact with eyes. Avoid contact with skin.

Conditions for safe storage, including any incompatibilities: Keep away from food, drink and animal feeding stuffs. Do not store in metal containers. Ground container and transfer equipment to eliminate static electric sparks. Comply with all national, state, and local codes pertaining to the storage, handling, dispensing, and disposal of flammable liquids. Keep container tightly closed. Store in cool, dry place. Store in a well-ventilated place.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Type	Exposure Limit Values	Source
Acetic acid	TWA	10 ppm	US ACGIH Threshold Limit Values (2011)
	STEL	15 ppm	US ACGIH Threshold Limit Values (2011)
	STEL	15 ppm	US NIOSH Pocket Guide to Chemical Hazards (2010)
	REL	10 ppm	US NIOSH Pocket Guide to Chemical Hazards (2010)
	PEL	10 ppm	US OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02/2006)
	TWA	10 ppm	US OSHA Table Z-1A (29 CFR 1910.1000) (1989)
	TWA	10 ppm	US Tennessee, OELs, Occupational Exposure Limits, Table Z1A (08/2009)
	ST ESL	15 µg/m ³	US Texas Effects Screening Levels (Texas Commission on Environmental Quality) (02/2013)
	AN ESL	25 µg/m ³	US Texas Effects Screening Levels (Texas Commission on Environmental Quality) (12/2010)
	ST ESL	6 ppb	US Texas Effects Screening Levels (Texas Commission on Environmental Quality) (02/2013)
	AN ESL	10 ppb	US Texas Effects Screening Levels (Texas Commission on Environmental Quality) (12/2010)
	Ceiling	40 ppm	US California Code of Regulations, Title 8, Section 5155 Airborne Contaminants (08/2010)
	STEL	15 ppm	US California Code of Regulations, Title 8, Section 5155 Airborne Contaminants (08/2010)
	TWA PEL	10 ppm	US California Code of Regulations, Title 8, Section 5155 Airborne Contaminants (08/2010)

Appropriate Engineering Controls No data available.

Individual protection measures, such as personal protective equipment

General Information:

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the immediate work area. Use explosion-proof ventilation equipment.

Eye/face protection: Wear safety glasses with side shields (or goggles) and a face shield.

Skin Protection Chemical resistant gloves

Hand Protection:

Other: Wear suitable protective clothing.

Respiratory Protection:

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Air-purifying respirator with an appropriate, government approved (where applicable), air-purifying filter, cartridge or canister. Contact health and safety professional or manufacturer for specific information.

Hygiene measures:

Provide eyewash station and safety shower. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned. Wash hands before breaks and immediately after handling the product. Wash contaminated clothing before reuse. Avoid contact with eyes, skin, and clothing.

9. Physical and chemical properties

Appearance

Physical state: Liquid

Form: Liquid

Color: Colorless

Odor: Strong pungent vinegar-like odor

Odor threshold: No data available.

pH: 2.4 (1.0 M aqueous solution)

Melting point/freezing point: 16.4 °C

Initial boiling point and boiling range: 117.9 °C

Flash Point: 39.4 °C (Closed Cup)

Evaporation rate: 0.97 (butyl acetate=1)

Flammability (solid, gas): Class II Combustible Liquid

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%): 19.9 % (V)

Flammability limit - lower (%): 4 % (V)

Explosive limit - upper (%): No data available.

Explosive limit - lower (%): No data available.

Vapor pressure: 2.093 kPa (25 °C)

Vapor density: 2.1 (Air=1)

Density: 1.05 g/ml (20 °C)

Relative density: 1.05 (20 °C)

Solubility(ies)

Solubility in water: Miscible with water.

Solubility (other): No data available.

Partition coefficient (n-octanol/water): -0.17

Auto-ignition temperature: 426 °C

Decomposition temperature: No data available.

Viscosity: No data available.

Other information

Liquid conductivity: 0.05 µS/cm (0 °C)

Molecular weight: 60.05 g/mol (C₂H₄O₂)

10. Stability and reactivity

Reactivity: No dangerous reaction known under conditions of normal use.

Chemical Stability: Material is stable under normal conditions.

Possibility of hazardous reactions: Hazardous polymerization does not occur.

Conditions to avoid: Heat, sparks, flames, Moisture, Contact with incompatible materials.
Incompatible Materials: Strong oxidizing agents.
Hazardous Decomposition Products: Oxides of Carbon.

11. Toxicological information

Information on likely routes of exposure

Inhalation: Harmful if inhaled. May cause drowsiness or dizziness.
Skin Contact: Harmful in contact with skin. Causes severe skin burns.
Eye contact: Causes serious eye damage.
Ingestion: May be harmful if swallowed.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral Product: LD 50 (Rat): 3,310 - 3,530 mg/kg
Dermal Product: LD 50 (Rabbit) 1,060 mg/kg
Inhalation Product: LC 50 (Rat, 4 h) 11.4 mg/l
 LOAEL (Rat, 4 h): 450 ppm

Repeated dose toxicity Product: No data available.

Skin Corrosion/Irritation Product: Causes severe skin burns.

Serious Eye Damage/Eye Irritation Product: Causes serious eye damage.

Respiratory or Skin Sensitization Product: Not a skin sensitizer.

Carcinogenicity Product: This substance has no evidence of carcinogenic properties.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans: No carcinogenic components identified
US. National Toxicology Program (NTP) Report on Carcinogens: No carcinogenic components identified
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050): No carcinogenic components identified

Germ Cell Mutagenicity

In vitro Product: No data available.
In vivo Product: No data available.

Reproductive toxicity

Product: No components toxic to reproduction

Specific Target Organ Toxicity - Single Exposure Product: Respiratory tract irritation.

Specific Target Organ Toxicity - Repeated Exposure Product: None known.

Target Organs Specific Target Organ Toxicity - Single Exposure: Respiratory tract irritation.

Aspiration Hazard Product: Not classified

Other effects: None known.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish Product: LC 50 (Bluegill (Lepomis macrochirus), 96 h): 75 mg/l

Aquatic Invertebrates Product: EC 50 (Water flea (Daphnia magna), 48 h): 65 mg/l

Chronic hazards to the aquatic environment:

Fish Product: No data available.

Aquatic Invertebrates Product: No data available.

Toxicity to Aquatic Plants Product: No data available.

Persistence and Degradability

Biodegradation Product: Expected to be readily biodegradable.

BOD/COD Ratio Product: No data available.

Bioaccumulative potential SDS_US - SDS000001652

Bioconcentration Factor (BCF)

Product: No data available on bioaccumulation.

Partition Coefficient n-octanol / water (log Kow) Log Kow: -0.17

Product:

Mobility in soil: The product is water soluble and may spread in water systems.

Other adverse effects: Harmful to aquatic organisms.

13. Disposal considerations

Disposal instructions:

Discharge, treatment, or disposal may be subject to national, state, or local laws. Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Contaminated Packaging: Since emptied containers retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

UN Number: UN 2789
UN Proper Shipping Name: Acetic acid, glacial
Transport Hazard Class(es):

Class:

Label(s):

Packing Group:

Marine Pollutant:

Special precautions for user:

IMDG

UN Number: UN 2789
UN Proper Shipping Name: ACETIC ACID, GLACIAL
Transport Hazard Class(es):

Class:

Label(s):

EMS No.:

Packing Group:

Marine Pollutant:

Special precautions for user:

IATA

UN Number: UN 2789
Proper Shipping Name: Acetic acid, glacial
Transport Hazard Class(es):

Class:

Label(s):

Packing Group:

Marine Pollutant:

Special precautions for user:

15. Regulatory information

US Federal Regulations
TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

SDS_US - SDS000001652

9/12

None present or none present in regulated quantities.

US OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

Chemical Identity Reportable quantity
Acetic acid 5000 lbs.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Flammable liquids
Acute toxicity
Skin Corrosion/Irritation
Serious Eye Damage/Eye Irritation
Specific Target Organ Toxicity - Single Exposure

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

SARA 304 Emergency Release Notification

Chemical Identity Reportable quantity
Acetic acid 5000 lbs.

SARA 311/312 Hazardous Chemical

Chemical Identity Threshold Planning Quantity
Acetic acid 10000 lbs.

SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(f) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3):

Chemical Identity Reportable quantity
Acetic acid Reportable quantity: 5000 lbs.

US State Regulations

US. California Proposition 65
No ingredient regulated by CA Prop 65 present.

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity
Acetic acid

US. Massachusetts RTK - Substance List

Chemical Identity
Acetic acid

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity
Acetic acid

SDS_US - SDS000001652

10/12

**US, Rhode Island RTK
Chemical Identity**
Acetic acid

International regulations

Montreal protocol
not applicable

Stockholm convention
not applicable

Rotterdam convention
not applicable


Kyoto protocol
not applicable

Inventory Status:

- Australia AICS: On or in compliance with the inventory
- Canada DSL Inventory/List: On or in compliance with the inventory
- EINECS, ELINCS or NLP: On or in compliance with the inventory
- Japan (ENCS) List: On or in compliance with the inventory
- China Inv. Existing Chemical Substances: On or in compliance with the inventory
- Korea Existing Chemicals Inv. (KECI): On or in compliance with the inventory
- Philippines PICCS: On or in compliance with the inventory
- US TSCA Inventory: On or in compliance with the inventory
- New Zealand Inventory of Chemicals: On or in compliance with the inventory
- Mexico INSC: On or in compliance with the inventory
- Taiwan Chemical Substance Inventory: On or in compliance with the inventory

16. Other information, including date of preparation or last revision

NFPA Hazard ID



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible

Issue Date: 10-25-2017

Revision Information: Not relevant.

Version #: 1.2

Further Information: No data available.

The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, AVANTOR PERFORMANCE MATERIALS ('AVANTOR') EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN, INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of Avantor's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, AVANTOR DISCLAIMS LIABILITY FOR, AND BY USING AVANTOR'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL AVANTOR BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.