

MSDS Safety Information

FSC: 8040
NIIN: 00-782-0433
MSDS Date: 04/30/1998
MSDS Num: CJCLD
Product ID: SUPER 77 SPRAY ADHESIVE
MFN: 02
Responsible Party
Cage: 1BY21
Name: 3M GENERAL OFFICES
Address: 3M CENTER
City: ST PAUL MN 55144-1000
Info Phone Number: 800-364-3577
Emergency Phone Number: 651-737-6501
Proprietary Ind: Y
Review Ind: Y
Published: Y

Contractor Summary

Cage: 76381
Name: MINNESOTA MINING AND MFG CO, DBA 3M
Address: 3M CENTER BLDG 224-5S-04
City: SAINT PAUL MN 55144-1000
Phone: 866-556 5712 / 612-733-1110
Cage: 1BY21
Name: MINNESOTA MINING AND MFG CO ENGINEERING DOCUMENT SYSTEMS DIV
Address: 3M CTR
City: SAINT PAUL MN 55144-1000
Phone: 612-737-4114

Item Description Information

Item Manager: GSA
Item Name: ADHESIVE
Unit of Issue: CN
Quantitative Expression: 000000000240Z
UI Container Qty: B

Ingredients

Name: *** PROPRIETARY ***

Health Hazards Data

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.
Route Of Entry Inds - Inhalation: YES
Skin: YES
Ingestion: NO
Carcinogenicity Inds - NTP: NO
IARC: NO
OSHA: NO
Effects of Exposure: EYE CONTACT: MODERATE EYE IRRIT: SIGNS/SYMPs CAN INCL REDNESS, SWELL, PAIN, TEARING & HAZY VISION. SKIN CONTACT: MILD SKIN IRRIT (AFTER PRLNGD/RPTD CONTACT): SIGNS/SYMPs CAN INCL REDNESS, SWELLING & I TCH. INHAL: INTENTIONAL CONC & INHAL MAYBE HARMFUL/FATAL. CNS DEPRESS: SIGNS/SYMPs CAN INCL HDCH, (EFTS OF OVEREXP)
Explanation Of Carcinogenicity: NOT RELEVANT
Signs And Symptions Of Overexposure: HLTH HAZ: DIZZ, DROW, INCOORD, SLOWED REACTION TIME, SLURRED SPEECH, GIDD & UNCON. IRRIT (UPPER RESP): SIGNS/SYMPs CAN INCL SORENESS OF NOSE & THROAT, COUGHING & SNEEZING.
INGEST: NOT A LIKELY ROUTE O F EXPOS TO THIS PROD. WHILE FOLLOWING EFTS ARE ASSOC W/ONE OR MORE OF INDIVIDUAL INGREDIENTS IN PROD & ARE REQD TO (SUPDAT)
Medical Cond Aggravated By Exposure: NONE SPECIFIED BY MANUFACTURER.
First Aid: EYES: IMMEDIATELY FLUSH EYES W/LARGE AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. GET IMMEDIATE MEDICAL ATTENTION. SKIN: FLUSH SKIN W/LARGE AMOUNTS OF WATER. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. INHAL: REMOVE PERSON TO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GET IMMEDIATE MEDICAL ATTENTION. INGEST: DO NOT INDUCE VOMITING. DRINK TWO GLASSES OF WATER. CALL MD.

Handling and Disposal

Spill Release Procedures: REFER TO OTHER SECTIONS OF MSDS FOR INFO REGARDING

PHYSICAL & HEALTH HAZS, RESP PROT, VENT & PERSONAL PROT EQUIP. VENT
AREA. EXTING ALL IGNITION SOURCES. COVER W/ABSORBENT MATL. COLLECT USING
NON-SPAR KING TOOLS. PLACE IN US DOT-APPRVD CONTAINER.
Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.
Waste Disposal Methods: INCINERATE IN PERMITTED HAZ WASTE INCINERATOR IN
PRESENCE OF COMBUST MATL. FACILITY MUST BE CAPABLE OF HNDLG AEROSOL CANS.
DISPOSE OF EMPTY CANS IN SANITARY LANDFILL. DISPOSE OF WASTE PROD IN FACILITY
PERMITTED TO ACCEPT CHEM WASTE. RECYCLE
Handling And Storage Precautions: STORE AT TEMPERATURES BELOW 120F (49C). STORE
OUT OF DIRECT SUNLIGHT. KEEP OUT OF THE REACH OF CHILDREN. DO NOT INGEST.
Other Precautions: AEROSOL CNTNR CNTNS FLAMMABLE GAS UNDER PRESS. KEEP AWAY
FROM HEAT, SPKS, OPEN FLAME & OTHER IGNIT SOURCES. EXTREMELY FLAMMABLE
LIQ & VAP. DO NOT PIERCE OR BURN CNTNR, EVEN AFTER USE. NO SMKNG WHILE H
NDLG THIS MATL. AVOID STATIC DISCHARGE.

=====
Fire and Explosion Hazard Information
=====

Flash Point Method: TCC
Flash Point Text: -42F, -41C
Upper Limits: FLAM GAS
Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL, FOAM.
Fire Fighting Procedures: USE NIOSH APPRVD SCBA & FULL PROT EQUIP (FP N)
INCL BUNKER COAT & PANTS, BANDS AROUND ARMS, WAIST & LEGS, FACEMASK
& PROT COVERING FOR EXPOSED AREAS OF HEAD.
Unusual Fire/Explosion Hazard: CLOSED CNTNRS EXPOSED TO HEAT FROM FIRE MAY
BUILD PRESSURE & EXPLODE. VAPORS MAY TRAVEL LONG DISTANCES ALONG GROUND
OR FLOOR TO IGNITION SOURCE & FLASH (SUPDAT)

=====
Control Measures
=====

Respiratory Protection: AVOID BREATHING OF VAPORS, MISTS OR SPRAY. SELECT ONE
OF THE FOLLOWING NIOSH APPROVED RESPIRATORS BASED ON AIRBORNE CONCENTRATION
OF CONTAMINANTS AND I/A/W OSHA REGULATIONS: HALF-MASK ORGANIC VAPOR RE
SPIRATOR.
Ventilation: DO NOT USE IN CONFINED AREA OR AREAS W/LITTLE OR NO AIR MOVEMENT.
IF EXHST VENT IS NOT ADEQUATE, USE APPROP
Protective Gloves: IMPERVIOUS GLOVES (FP N).
Eye Protection: ANSI APPRVD CHEM WORKERS GOGGLES (FP N).
Other Protective Equipment: ANSI APPROVED EYE WASH & DELUGE SHOWER (FP N).
Work Hygienic Practices: AVOID EYE CONTACT WITH VAPOR, SPRAY OR MIST. AVIOD
PROLONGED OR REPEATED SKIN CONTACT.
Supplemental Safety and Health: USERS OF "L" VERSION SHOULD CONSULT "LR"
VERSION FOR ADDNL INFO (FP N). BP: COMPRESSED GAS. VP: COMPRESSED GAS. EXPLO
HAZ: BACK. OSHA FIRE HAZARD CLASS IA FLAMMABLE LIQUID. EFTS OF OVEREXP: BE
INCLUDE D ON MSDS BY OSHA HAZ COMMUNICATION STD, THEY ARE NOT EXPECTED EFTS
DURING FORESEEABLE USE OF THIS PROD. INHAL:

=====
Physical/Chemical Properties
=====

B.P. Text: SUPDAT
Vapor Pres: SUPDAT
Vapor Density: 2.97
Spec Gravity: 0.697 (H*20=1)
PH: 6.7
Evaporation Rate & Reference: 1.90 ETHER=1
Solubility in Water: NIL
Appearance and Odor: LIQUID IN AEROSOL, LIGHT CREAM COLORED; SWEET/FRUITY ODOR.
Percent Volatiles by Volume: 75 WT

=====
Reactivity Data
=====

Stability Indicator: YES
Stability Condition To Avoid: HEAT.
Materials To Avoid: NONE SPECIFIED BY MANUFACTURER.
Hazardous Decomposition Products: CARBON MONOXIDE AND CARBON DIOXIDE, TOXIC
VAPORS, GASES OR PARTICULATES.
Hazardous Polymerization Indicator: NO
Conditions To Avoid Polymerization: NOT RELEVANT

=====
Toxicological Information
=====

=====
Ecological Information
=====

=====
MSDS Transport Information
=====

Regulatory Information

Other Information

Transportation Information

Responsible Party Cage: 1BY21
Trans ID NO: 137625
Product ID: SUPER 77 SPRAY ADHESIVE
MSDS Prepared Date: 04/30/1998
Review Date: 01/20/1999
MFN: 2
Multiple KIT Number: 0
Unit Of Issue: CN
Container QTY: B

Detail DOT Information

DOT PSN Code: AGC
DOT Proper Shipping Name: AEROSOLS, FLAMMABLE,
DOT PSN Modifier: (EACH NOT EXCEEDING 1 L CAPACITY)
Hazard Class: 2.1
UN ID Num: UN1950
Label: FLAMMABLE GAS
Special Provision: N82
Non Bulk Pack: NONE
Bulk Pack: NONE
Max Qty Pass: 75 KG
Max Qty Cargo: 150 KG
Vessel Stow Req: A
Water/Ship/Other Req: 40,48,85

Detail IMO Information

IMO PSN Code: AKD
IMO Proper Shipping Name: AEROSOLS o
IMDG Page Number: 2102
UN Number: 1950
UN Hazard Class: 2(T)
IMO Packaging Group: -
Subsidiary Risk Label: T
EMS Number: 2-13
MED First Aid Guide NUM: 620

Detail IATA Information

IATA PSN Code: ALS
IATA UN ID Num: 1950
IATA Proper Shipping Name: AEROSOLS, FLAMMABLE
IATA PSN Modifier: (EACH NOT EXCEEDING 1 L CAPACITY)
IATA UN Class: 2.1
IATA Label: FLAMMABLE GAS
Packing Note Passenger: 203
Max Quant Pass: 75KG
Max Quant Cargo: 150KG
Packaging Note Cargo: 203

Detail AFI Information

AFI PSN Code: ALR
AFI Symbols: *
AFI Proper Shipping Name: AEROSOLS, FLAMMABLE, N.O.S.
AFI PSN Modifier: (EACH NOT EXCEEDING 1L CAPACITY)
AFI Hazard Class: 2.1
AFI UN ID NUM: UN1950
Special Provisions: P4
Back Pack Reference: A6.3

HAZCOM Label

Product ID: SUPER 77 SPRAY ADHESIVE
Cage: 1BY21
Company Name: MINNESOTA MINING AND MFG CO ENGINEERING DOCUMENT SYSTEMS DIV
Street: 3M CTR
City: SAINT PAUL MN
Zipcode: 55144-1000

Health Emergency Phone: 651-737-6501

Label Required IND: Y

Date Of Label Review: 11/09/1998

Status Code: C

Label Date: 11/09/1998

Origination

Eye Protection IND: YES

Skin Protection IND: YES

Signal Word: DANGER

Respiratory Protection IND: YES

Health Hazard: Moderate

Contact Hazard: Moderate

Fire Hazard: Severe

Reactivity Hazard: None

Hazard And Precautions: FLAMMABLE. ACUTE: EYES: MODERATE EYE IRRITATION;
REDNESS, SWELLING, PAIN, TEARING AND HAZY VISION. SKIN: MILD IRRITATION;
REDNESS, SWELLING AND ITCHING. INHALATION: INTENTIONAL CONCENTRATION AND
INHALATION MAY BE HARMFUL OR FATAL. CNS DEPRESSION; HEADACHE, DIZZINESS,
DROWSINESS, INCOORDINATION, SLOWED REACTION TIME, SLURRED SPEECH, GIDDINESS
AND UNCONSCIOUSNESS. UPPER RESPIRATORY IRRITATION; SORENESS OF NOSE AND
THROAT, COUGHING AND SNEEZING. CHRONIC: NONE LISTED BY MANUFACTURER.

=====

Disclaimer (provided with this information by the compiling agencies): This
information is formulated for use by elements of the Department of Defense.
The United States of America in no manner whatsoever expressly or implied
warrants, states, or intends said information to have any application, use or
viability by or to any person or persons outside the Department of Defense
nor any person or persons contracting with any instrumentality of the United
States of America and disclaims all liability for such use. Any person
utilizing this instruction who is not a military or civilian employee of the
United States of America should seek competent professional advice to verify
and assume responsibility for the suitability of this information to their
particular situation regardless of similarity to a corresponding Department
of Defense or other government situation.